



BEARING CORP.OF AMERICA



5304CZZ Bearing 2D drawings and 3D CAD models

0.787 Inch | 20 Millimeter x 2.047 Inch | 52 Millimeter x 0.874 Inch | 22.2 Millimeter NTN 5304CZZ Angular Contact Ball Bearings

Bearing No. 5304CZZ

Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.223
Product Group	B00152
Enclosure	2 Metal Shields
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	25 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	20MM Bore; 52MM Outside Diameter; 22.2MM Width; 2 Metal Shields; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring;



BEARING CORP.OF AMERICA

	C0-Medium; Steel Cage; 25 Degree; 1
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	5304CZZ
Weight / LBS	0.493
D	2.047 Inch 52 Millimeter
d	0.787 Inch 20 Millimeter
B	0.874 Inch 22.2 Millimeter
bore diameter:	20 mm
radial static load capacity:	2850 lb
outside diameter:	52 mm
operating temperature range:	-40 to 120 ° C
overall width:	0.8750 in
cage material:	Steel
contact angle:	25 °
outer ring width:	22.2 mm
row type & fill slot:	Double-Row Non-Fill Slot
maximum rpm:	11000 RPM
internal clearance:	C0
finish/coating:	Uncoated
bore type:	Round
precision rating:	Class 0
closure type:	Double Shield
fillet radius:	1.1 mm
snap ring included:	Without Snap Ring



BEARING CORP.OF AMERICA

series:	53
bearing material:	High Carbon Chrome Steel
weight:	0.223 kg
radial dynamic load capacity:	4650 lb
manufacturer product page:	Click here