



# BEARING CORP.OF AMERICA



## QM INDUSTRIES QVCW22V400SN Flange Block Bearings

Bearing No. QVCW22V400SN

QVCW22V400SN Bearing 2D drawings and 3D CAD models

|                           |  |
|---------------------------|--|
| Category                  | Flange Block Bearings  |
| Inventory                 | 0.0  |
| Manufacturer Name         | TIMKEN   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 19.522   |
| EAN                       | 0883450213882  |
| Product Group             | M06288   |
| Number of Mounting Holes  | 4  |
| Mounting Method           | V Lock   |
| Housing Style             | 4 Bolt Round Flange Cartridge  |
| Rolling Element           | Spherical Roller Bearing   |
| Housing Material          | Cast Steel   |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 3/4 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | 22222  |
| Seals                     | Triple Lip Viton   |
| Housing Configuration     | 1 Piece Solid  |
| Pilot Configuration       | With Pilot   |
| Inch - Metric             | Inch   |
| Long Description          | 4 Bolt Round Flange Cartridge; 4" Bore; 9.4" Bolt Circle; 6-5/8" Bolt Spacing; 1 Piece Solid; V Lock Mount; Cast Steel; Spherical Roller Bearing; 4.13" Length Thru Bore; Relubricat |



## BEARING CORP.OF AMERICA

|                                    |   |
|------------------------------------|---|
| Other Features                     | Double Row   Single Nut   |
| Category                           | Flange Block  |
| UNSPSC                             | 31171501  |
| Harmonized Tariff Code             | 8483.20.40.80   |
| Noun                               | Bearing   |
| Keyword String                     | Flanged   |
| Manufacturer URL                   | <a href="http://www.qmbearings.com">http://www.qmbearings.com</a> |
| Weight / LBS                       | 43  |
| Nominal Bolt Circle Diameter Round | 9.4 Inch   238 Millimeter   |
| Cartridge Pilot Diameter           | 8.125 Inch   206.375 Millimeter                                   |
| Bolt Spacing                       | 6.625 Inch   168.275 Millimeter                                   |
| Cartridge Pilot Depth              | 0 Inch   0 Millimeter   |
| D                                  | 4.13 Inch   104.9 Millimeter                                      |
| d                                  | 4 Inch   101.6 Millimeter   |